

- Who typically gets the diphtheria, tetanus and pertussis-containing vaccine known as DTaP?
  - Babies only
  - Babies and young children
  - Adolescents only
  - Adolescents and adults
- What vaccine for adolescents prevents a coughing disease that can be fatal in infants?
  - Tdap
  - DTap
  - Td
  - DT
- If 10 susceptible (nonimmune) people come into contact with someone who has pertussis, how many of them could be infected?
  - 2
  - 4
  - 6
  - 10
- Pertussis is caused by a bacterium known as *Bordetella pertussis*. Another strain of *Bordetella* known as *Bordetella bronchiseptica*, causes which ailment in dogs?
  - Lyme disease
  - Rabies
  - Kennel cough
  - Heartworm disease
- How many months can it take for someone to overcome the symptoms of pertussis?
  - Less than 1 month
  - 1 to 2 months
  - 2 to 4 months
  - 4 to 6 months
- Pertussis is also referred to as which of the following?
  - The 100-day cough
  - Whooping cough
  - A and B
  - None of these
- The earliest signs of pertussis are similar to what other infection?
  - Respiratory syncytial virus (RSV)
  - Common cold
  - Influenza
  - All of the above
- About how many proteins and sugars did the first pertussis vaccine have?
  - 3,000
  - 300
  - 30
  - 3
- The pertussis-containing vaccine known as Tdap is recommended for pregnant women during every pregnancy for which reason?
  - To protect pregnant people during the time they are in the hospital for delivery
  - To produce maternal antibodies that can protect the baby before they are old enough to be immunized
  - To decrease the chance of older children in the household from getting pertussis
  - This vaccine is not recommended for pregnant women
- Who is particularly susceptible to complications from pertussis?
  - Babies younger than 6 months
  - Toddlers
  - Pregnant women
  - The elderly